



## Memorandum

**To:** Mr. Doug Peters  
Simon Property Group  
Sr. Tenant Coordinator

**From:** Mike Wagnon

**Date:** July 26, 2007

**Subject:** Mandatory Notes for Tenants using Vista Wall

---

**Doug, the notes listed below must be placed on the all Vista Wall storefront elevations before the tenant submits their drawings for permitting. If the tenant does not cause these notes to be on the drawings at the time of permitting submittal, the City will reject their submittal out-of-hand, perhaps causing considerable delay.**

1. VISTA WALL STOREFRONT SYSTEM HR250 IMPACT CURTAIN WALL WITH CUSTOM OPTIONS. CONTACT JOHN ADDISON AT (800) 366-0349.  
E-MAIL: [jaddison@vistawall.com](mailto:jaddison@vistawall.com). WEBSITE: [WWW.VISTAWALL.COM](http://WWW.VISTAWALL.COM) ADDRESS: 8655 ELM FAIR, TAMPA, FL 33610.
2. SHOP DRAWINGS
  - A. NO STOREFRONT WORK WILL BE COMMENCED UNTIL THE SHOP DRAWINGS HAVE BEEN APPROVED BY THE ARCHITECT.
  - B. SUBMIT STOREFRONT DRAWINGS INDICATING CONSTRUCTION SIZES JOINTING, FASTENING, ANCHORS AND MISCELLANEOUS ACCESSORIES IN DETAIL.
  - C. SHOP DRAWINGS MUST BE DESIGNED WITH THE SYSTEM AND MANUFACTURED AS NOTED ON THIS PAGE AND WITH THE OPTIONS SELECTED FROM THE DESIGN FLYER ISSUED BY WALLACE DESIGN GROUP.
  - D. SHOP DRAWINGS MUST ALSO INDICATE ADJACENT BUILDING MATERIALS, LOCATIONS AND TYPES OF FINISHES, SYSTEM MATERIALS, PERIMETER CAULKING AND OTHER PERTINENT DATA.
  - E. SUBMIT MANUFACTURERS PRODUCT LITERATURE FOR SEALANT, GLASS AND STRUCTURAL GLAZING GASKETS, INCLUDING INSTALLATION INSTRUCTIONS AND STANDARD COLOR CHART OF SEALANT.
3. THIS PROJECT MUST BE DESIGNED IN ACCORDANCE WITH 2004 F.B.C. SECTION 1609 FOR DESIGN PRESSURES GENERATED BY A DESIGN VELOCITY OF 130MPH W/15% IMPORTANCE FACTOR.
4. THIS PROJECT MUST BE DESIGNED TO MEET THE FLORIDA PRODUCT APPROVAL AND WIND-BORNE DEBRIS PROTECTION REQUIREMENTS ACCORDING TO THE 2004 FLORIDA BUILDING CODE WITH THE 2006 CHANGES.

7/31/2007