

BULLETIN

Storefront Numbering/Rear Door Requirements

(8/09)

Tenants are required to install in accordance with the following details.

Vinyl applications are to be professionally applied without bubbles or wrinkles and must be installed so as to not appear uneven, unlevel or otherwise not straight or improperly spaced. Improperly installed vinyl is subject to removal and re-application at tenant's sole expense. Vinyl application is subject to approval by mall management.


Reference:

- International Fire Code, Chapter 5, Section 505.1, 2006 Edition

Product data sheets provided in this bulletin are for reference only.

Exterior Storefront:


Material: Adhesive backed vinyl product intended for exterior use. 3M 7125 High Performance Vinyl or equivalent.
Font: Arial
Height: Min. 4"
Stroke: Min. 1/2"
Color: Matte White
Application: Applied to transom above door. Provided by Tenant, applied by Tenant.
Location: Centered horizontally over door or centered over pair of doors, 2" above mullion.
Content: Street Address number.



Miller Hill Mall
Duluth, MN

Exterior Rear Door:

- Material:** Adhesive backed vinyl product intended for exterior use. 3M 7125 High Performance Vinyl or equivalent.
- Font:** Arial
- Height:** Min 4"
- Stroke:** Min 1/2"
- Color:** Matte White
- Application:** Applied to service corridor or exterior side of door. Provided by Tenant, applied by Tenant.
- Content:** Tenant Name and Mall space number
- Location:** Centered horizontally on rear door of space, 5'-0" above bottom of door. Tenant name located over mall space number.





Fellers Factoid

In our past, employees wore tags on their shirts that read, "We do what we say we will."



7125 High Performance Vinyl

- 2 mil high gloss cast vinyl
- 7 year outdoor durability
- Thermal printable
- High quality acrylic adhesive
- 3M™ is not edge stripped, works great with thermal transfer printers
- Faster trouble-free weeding for less recutting and lower material cost



15" x 50 yds as low as

COLOR	#
877C	Satin Aluminum SATALU
571C	Satin Gold SATG
CLEAR	Clear CL
WHITE	White* W
WHITE	Matte White MATW
462C	Eggshell EG
WHITE	Antique White ANW
GREY 2C	Pearl Grey PARGY
GREY 7C	Medium Grey MEDGY
428C	Dark Grey DKG
BLACK	Black* B
433C	Matte Black MATB
4625C	Deep Maragon Brown DPMARBN
786C	Russet Brown RUSBN
4636C	Saddle Brown SADB
465C	Tan TAN
431C	Putty PUT
4745C	Sandstone SANDS
468C	Fawn FAWN
468C	Beige BEIGE
135-4	Mauve MAU

COLOR	#
795C	Magenta MG
714C	Process Magenta PMG
186C	Perfect Match Red PMR
1795C	Tomato Red* TDMR
190C	Geranium GER
194C	Deep Red DPR
187C	Cardinal Red CR
722C	Burgandy* BUR
1855C	Terra Cotta TC
321C	Bright Orange BRO
137C	Apricot APRI
151C	Light Orange LO
7510C	Harvest Gold HARG
1235C	Sunflower Yellow* SUNFY
106C	Bright Yellow* BRY
108C	Vista Yellow VISY
356C	Apple Green APGN
347C	Kelly Green KGN
348C	Bright Green BRGN
3475C	Dark Green* DKG
1308C	Bottle Green BOTGN

COLOR	#
3007C	Forest Green FORGN
323C	Bermuda Blue BERMBL
327C	Teal DKAQ
328C	Dark Aqua AQ
3255C	Aqua AQ
359C	Peacock PEABL
629C	Robin Egg Blue ROEBBL
7491C	Olympic Blue OLBL
301C	Intense Blue INTBL
783C	Vivid Blue* VVBL
7747C	Sapphire Blue* SAPRI
5415C	Shadow Blue SHADBL
789C	Light Navy LN
7767C	Indigo IND
7685C	Royal Purple ROYPR
758C	Purple PL
755C	Dark Violet DKV
757C	Violet V

Actual colors may vary slightly from examples shown due to limitations in the printing process. Note: There are occasional splices in rolls.

3M 7125 Black, White and Clear

	by the yard	10 yards	50 yards
15"			
24"			
30"			
48"			

3M 7125 Colors

	by the yard	10 yards	50 yards
15"			
24"			
30"			
48"			

3M(COLOR)(SIZE)(P, or U) P= punched; U= unpunched *48" Available in selected colors only



7725 40" High Performance Vinyl

- Designed for use with Summa DC thermal printers
- 2 mil high gloss cast vinyl with clear synthetic liner and 7 year outdoor durability

3M 7725

	by the yard	10 yards	50 yards
40"			

7725W40 Available in white unpunched only

Vinyl



Avery A9 High Performance Vinyl

- 2 mil high gloss cast vinyl
- 10 year outdoor durability on black & white
- Up to 9 year outdoor durability on colors
- Thermal printable
- High quality solvent-based adhesive
- More colors than anyone
- Superior cutting and weeding



15" x 50 yds as low as

Sample Card AVERYCARD

COLOR	#
WHITE	White W
WHITE	True White ^ TRUEW
WHITE	Matte White MATW
CLEAR	Clear CL
CLEAR	Matte Clear MATCL
888.GREY	Light Grey LGY
000.BRY	Palm Oyster PALMOY
429C	Light Ash Grey LASHGY
427C	Slate Grey SLATGY
421C	Medium Grey MEDGY
410C	Pewter PEW
411C	Dark Grey DKEY
429C	Med. Marine Grey MEDMARBY
BLACK	Matte Black MATB
BLACK	Black B
4635C	Brown BN
4795C	Cocoa COC
4710C	Terra Cotta TC
131C	Imitation Gold IMG
7506C	Parchment PAR
7506C	Almond AL
468C	Beige BEIGE
461C	Dark Beige DKEIGE
452C	Sandstone SANDS
465C	Buckskin BUC
7508C	Camel CAM
718C	Putty PET
127C	Butter* BUT
110C	Luminous Yellow* LUMY
116C	Canary Yellow CANY
123C	Medium Yellow* MEDY
1235C	Sunflower Yellow SUNFY
1225C	Dark Yellow DKY
137C	Apricot APRI

COLOR	#
131C	Orange O
4710C	Bright Orange BRO
1740C	Tangerine TANG
825C	Warm Red* WARMR
1795C	Real Red^ REALR
1795C	Luminous Red^ LUMR
1797C	Tomato Red TDMR
183C	Fire Red* FIRER
183C	Cardinal Red CR
1807C	Dark Red DKR
183C	Apple Red APR
194C	Spectra Red* SPECR
186C	Burgundy BUR
5115C	Burgundy Maroon BURM
714C	Blossom BLOS
7710C	Magenta MG
247C	Raspberry RAS
780C	Plum PLUM
780C	Deep Purple DPPL
7855C	Purple PL
7855C	Lavender LAV
775C	Periwinkle PERI
7718C	Copenhagen COPN
7767C	Dark Navy Blue DKNBL
7757C	Dark Blue DKBL
787C	Light Navy LN
5425C	Shadow Blue SHADBL
540C	Majestic Blue MAJBL
301C	Interstate Blue INTERBL
780C	Sapphire Blue SAPBL
784C	Vivid Blue VVBL

COLOR	#
783C	Intense Blue INTBL
300C	Medium Blue MEDBL
7978C	Olympic Blue OLBL
132C	Light Blue LBL
7985C	Peacock Blue PEABL
7930C	Powder Blue POWBL
5430C	Butterfly Blue BUTFBL
5477C	Cadet Blue CADBL
3145C	Aquamarine AQMAR
377C	Real Teal REALT
378C	Dark Aqua DKAQ
3255C	Seafoam Green SEAGN
441C	Light Sage^ LSAGE
373C	Lime Aid^ LIMEAID
5483C	Dark Ivy DKIVY
3770C	Olive Green^ OLIVEGN
3785C	Spectra Everglade SPECVER
3305C	Spruce Green SPRUGN
3148C	Teal T
3155C	Dark Teal DKT
306C	Nautical Blue NAUBL
375C	Vibrant Green* VIBGN
356C	Apple Green APGN
347C	Kelly Green KGN
7495C	Grow Green^ GROWGN
348C	Bright Green BRGN
3475C	Forest Green FORGN
3307C	Deep Green DPGN
3305C	Dark Green DKG
3305C	Polo Green POLGN

* Pigmented adhesive, not reversible.

^ Available 15" punched, 24" and 30" unpunched

Actual colors may vary slightly from examples shown due to limitations in the printing process. Note: There are occasional splices in rolls.

A9 Black, White & Clear

	by the yard	10 yards	50 yards
15"			
20"			
24"			
30"			
48"			

A9 Colors

	by the yard	10 yards	50 yards
15"			
20"			
24"			
30"			
48"			

A9(COLOR)(SIZE)(P, S or U)

P= punched; U= unpunched; S= standard



Vinyl



Oracal 751
High Gloss High Performance Vinyl

- 2 mil cast vinyl
- Ultra glossy – highest gloss available
- 8 year outdoor durability
- Thermal printable
- Not edge stripped
- Permanent solvent-based adhesive
- Blue liner on white vinyl for easier weeding
- Most opaque high performance film available
- Cuts and weeds great for increased production
- High gloss works great in thermal printers
- Excellent conformability even over rivets
- Better dimensional stability, further ensuring that no shrinking, stretching or movement occurs after final bonding



Sample Card **DHPCARD**
15" x 50 yds
as low as

COLOR	#	
WHITE	White*	W
1235C	Golden Yellow*	GOY
123C	Sun Yellow	SUNY
174C	Signal Yellow	SIGY
116C	Maize Yellow	MAIZEY
109C	Yellow*	Y
116C	Light Yellow	LY
741525C	Birmstone Yellow	BRIMY
1215C	Cream	CREAM
4685C	Light Ivory	LI
680C	Purple Red	PLR
1865C	Dark Red*	DKR
187C	Red*	R
189C	Tomato Red	TOMR
193C	Cardinal Red*	CR
1795C	Light Red	LR
1797C	Blood Red	BLOODR
186C	Middle Red	MIDR
495C	Signal Red	SIGR
173C	Orange Red	OR
178C	Red Orange	RO
1685C	Orange*	O
671C	Pastel Orange	PASTO
779C	Bordeaux	BOBD
7673C	Violet	V
767C	Light Violet*	LV

COLOR	#	
755C	Lavender	LAV
257C	Lilac	LILACP
771C	Pink	P
719C	Telemagenta	TELEMG
495C	Magenta*	M
723C	Soft Pink	SOFTP
7767C	Black Blue	BBL
768C	Steel Blue	STEELBL
785C	Dark Blue*	DKBL
786C	Ultramarine Blue	ULBL
7757C	Deep Blue	DPBL
7747C	Cobalt Blue	COBBL
786C	King Blue	KINGBL
7778C	Brilliant Blue*	BRIBL
780C	Middle Blue*	MIDBL
541C	Blue	BL
794C	Traffic Blue*	TRAFBL
7949C	Gentian Blue	GLNTBL
798C	Azure Blue	AZBL
7995C	Euro Blue	EUROBL
400C	Light Blue	LBL
4215C	Ice Blue	ICEBL
315C	Petrol	PET
321C	Turquoise Blue	TQBL
7604C	Turquoise*	TQ
338C	Mint	MINT

COLOR	#	
343C	Dark Green	DKGN
357C	Foliage Green	FOLGN
349C	Emerald*	EMERL
3798C	Turquoise	TQGN
347C	Green	GN
348C	Grass Green	GRASGN
355C	Light Green	LGN
761C	Yellow Green	YGN
358C	Lime-Tree Green	LIMEGN
476C	Brown*	BN
477C	Red Brown	RBN
471C	Nut Brown	NUTBN
4655C	Light Brown*	LBN
BLACK	Black*	R
447C	Komatsu Grey	KOMGY
479C	Dark Grey	DKGY
479C	Iron Grey	IRONGY
484C	Grey	GY
450C	Slate Grey	SLATGY
301004C	Telegrey	TELEGY
479C	Middle Grey*	MIDGY
477C	Light Grey*	LGY
CLEAR	Transparent*	CL

ORACAL 751 Black, White & Clear

	by the yard	10 yards	50 yards
15"			
20"			
24"			
30"			
48"*			

Actual colors may vary slightly from examples shown due to limitations in the printing process.
Note: Occasional splices in rolls.

ORACAL 751 Colors

	by the yard	10 yards	50 yards
15"			
20"			
24"			
30"			
48"			

OHP(COLOR)(SIZE)(P)

P= punched; 15" and 30" punched only.
20", 24" and 48" unpunched only

Please Note: We cannot custom standard punch Oracal 30"

True finish sizes: 15" = 14.88" 20" = 19.68" 30" = 29.76"

*48" Available in selected colors only

CAUTION: Vinyl on these pages are not designed for inkjet use, even though some of our customers do it. Contamination could be present on any material not specifically designed for inkjet use and especially on cut yardage.



High Performance Vinyl
Permacast offers optimal fade resistance and superior weedability at a much lower cost than other high performance vinyls. Great for outdoor signs, vehicle lettering, and window signs.

- 2 mil high gloss cast vinyl
- Up to 9 year outdoor durability
- Thermal printable
- High quality solvent-based adhesive
- Edge stripped
- Optimal fade resistance
- Superior weedability
- Priced to make you money



Sample Card **XCARD**
15" x 50 yds
as low as

COLOR	#	
WHITE	White	W
728C	Ivory	I
429C	Light Grey	LGY
BLACK	Black	B
1797C	Tomato Red	TOMR
187C	Bright Red	BRR
701C	Cardinal Red	CR
109C	Yellow	Y
1775C	Golden Yellow	GY
196C	Orange	O
705C	Magenta	MIG

COLOR	#	
1817C	Maroon	MA
760C	Purple	PL
478C	Brown	BN
7945C	Royal Blue	ROYBL
785C	Blueberry	BB
787C	Navy Blue	NBL
790414C	Process Blue	PBL
345C	Kelly Green	KGN
347C	Forest Green	FORGN
7804C	Turquoise	TO
CLEAR	Clear	CL

White & Clear 15" Permacast are available in a non-stripped format

Actual colors may vary slightly from examples shown due to limitations in the printing process. Note: There are occasional splices in rolls.

Permacast Black, White & Clear

	by the yard	10 yards	50 yards
15"			
20"			
24"			
30"			

Permacast Colors

	by the yard	10 yards	50 yards
15"			
20"			
24"			
30"			

X(COLOR)(SIZE) (P, S, or U)

P= punched; U= unpunched; S= standard;

White and Clear 15" also available non-stripped

XW15PNS or XCL15PN

CAUTION:
All cut vinyl sales under 10 yards are final and cannot be returned-

